

**In the Claims:**

1. (currently amended) A method, comprising the steps of:  
receiving a frame of data having a predetermined number of time slots;  
receiving a plurality of data symbols in each respective time slot; and  
receiving each of a primary, a secondary and a tertiary synchronization code in each said predetermined number of time slots.
2. (previously presented) A method as in claim 1, wherein the secondary and the tertiary synchronization codes identify a subset of codes.
3. (previously presented) A method as in claim 2, wherein the secondary and tertiary synchronization codes are formed from a predetermined order of synchronization code elements, the predetermined order corresponding to the subset of codes.
4. (previously presented) A method as in claim 1, wherein the secondary and tertiary synchronization codes are formed from a predetermined order of common synchronization code elements.
5. (previously presented) A method as in claim 1, wherein a mobile receiver identifies a first time slot of the frame by the tertiary synchronization code.
- 6-12 (canceled).
13. (currently amended) A method, comprising the steps of:  
transmitting a frame of data having a predetermined number of time slots;  
transmitting a plurality of data symbols in each of said ~~respective~~ time slots; and  
transmitting a primary, a secondary and a tertiary synchronization code in each ~~said~~  
~~predetermined number of~~ said time slots.
14. (previously presented) A method as in claim 13, wherein the secondary and the tertiary synchronization codes identify a subset of codes.

15. (previously presented) A method as in claim 14, wherein the secondary and tertiary synchronization codes are formed from a predetermined order of synchronization code elements, the predetermined order corresponding to the subset of codes.

16. (previously presented) A method as in claim 13, wherein the secondary and tertiary synchronization codes are formed from a predetermined order of common synchronization code elements.

17. (previously presented) A method as in claim 13, wherein the tertiary synchronization code order corresponds to an order of time slots in the frame.

18-24 (canceled)